




ARC FRAMES

arc 20



arc 20 B





arc premium



arc bulgie



arc curved



arc cab



arc diamond



A FRAMES

S
D
U
C
H
C
A
H
O
Z
S

A. FRAME WORKS—THE FRAME WORKS OF SIZE 8' X 4' & 2'X2' WILL BE DONE USING 100MM X 50MM & 50MM X 50MM SQUARE MS SECTIONS. THE LEGS OF HEIGHT 3' WILL BE MADE USING 100 MM X 100 MM MS SECTIONS .FLOOR UNDERLAYMENT— 18MM THICK FIBER CEMENT BOARDS OF 8' X 4' WILL BE FITTED ON THE INDIVIDUAL FRAME WORK USING SELF DRILLING SCREWS WITH ANTI SKID TILES ON BOARD.

B. WALL PARTITIONS - SUPPLYING AND FIXING OF WALL PARTITIONS FRAMES DONE USING 40MM X 40MM MS SECTIONS FITTED WITH 10MM THICK FIBER CEMENT BOARDS OF BOTH SIDES. PU STONE SELF ADHESIVE MATERIAL FOR OUTER SIDE WALLS.

C. FRONT GLASS PARTITIONS—THE FRONT PARTITION FRAMES WILL BE MADE USING 50MM X 50MM MS SECTIONS AND 25MM X 25MM SECTIONS AND THE PARTITION AREA WILL BE COVERED WITH 8 MM THICK TOUGHENED GLASSES.

D. DOORS & WINDOWS— 50MM X 40 MM MS TUBES FRAMES WITH 8 MM TOUGHENED GLASS DOORS AND WINDOWS WILL BE FITTED ON 75MM X 40MM MS SECTIONS FRAME

E. TOILET WALL PARTITIONS— PARTITIONS— 50MM THICK TOILET WALL PARTITIONS PARTITIONS WILL BE DONE USING 10MM THICK CEMENT FIBER BOARD COVERED ON THE FRAME WORK ON BOTH SIDES. TILES AND UV POLY MARBLE SHEET WILL LAY ON INSIDE WALLS.

F. FLOORING - 2X2 TILES FLOORING WILL BE LAID FOR THE FLOOR AREA FOR COTTAGE.

G. ELECTRICALS— SUPPLYING AND FIXING OF ALL ELECTRICAL WIRINGS, SWITCHES AND SOCKETS, LIGHTS, FAN AND AC POINTS WITH SEPARATE DISTRIBUTION PANEL WITH LIGHTS, FANS, AC UNITS AND GEYSERS

H. PLUMBING—SUPPLYING AND FIXING OF EWC, WALL MIXER, SHOWER AND WASH BASIN WITH THE REQUIRED TAPS WILL BE PROVIDED WITH THE DRAIN LINES.

I. STAIRCASE - SUPPLYING AND FIXING OF SPIRAL STAIRCASE USING 40MM X 40MM MS SECTIONS WITH THE HANDRAILS DONE USING 20MM X20MM MS SECTIONS.WITH WOODEN PLATFORM.

J. CEILING - WPC LOUVERS STANDARD MATERIALS.

K. RAILINGS - 40MM PIPES

L. ROOFING - STONE COATED ROOFING SHEET, HDPE PLASTIC LAYER FOR LEAKAGE PROOF, ROCKWOOL FOR INSULATION.

M. PAINTING -1 ST COAT BLACK EPOXY PRIMER, 2 ND COAT BLACK EPOXY INDUSTRIAL GRADE AND FINAL BLACK ENAMEL PAINT.

(WATER SUPPLY , SUMP, SEPTIC TANK AND FITTINGS ARE NOT IN OUR SCOPE)



7/202E
ANNASALAI
KODAIKANAL-1



CALL US

9944347903

9047313455

CHAT WITH US

novaarcunited@gmail.com

www.novaarc.com